


1.5" Snap Lock

1.5" Snap Lock Concealed Fastener Standing Seam Metal Panel: A cost-effective, durable solution for roofs and walls. Perfect for high-end residential and commercial applications, the 1.5" Snap Lock offers versatile 15" coverage in any required length, industry-leading finishes, and high production volumes to provide quality metal solutions at an accessible price.

Metal America® specializes in on-site roll forming and offers notching. This system excels in withstanding various weather conditions, making it ideal for all-weather applications.

1.5" Snap Lock

2 - MINOR RIBS



MATERIAL SPECIFICATIONS

Available Widths: 15"

Available Gauges: 26ga, (Inquire for 22ga & 24ga)

Weight: 1.00lbs/SqFt (24ga), 0.75lbs/SqFt(26ga)

Substrate: Grade 50

Minimum Slope: 2:12

OPTIONS

Production Options*: Either factory made to length, crated up to 50' panels to ensure damage free transport, or rolled to length on site. Notching available on panels 6' in length or greater.

Panel Options: Flat Panel, Striations, 2 - Minor Ribs (Flat Panel requires an oil canning waiver).

*Set up fee may apply.

On site production is subject to order minimums

COLOR OPTIONS

Available Materials: Painted

Paint Systems: Weather XL (26ga), Fluoropon (PVDF) (24ga)

TRIM SPECIFICATIONS

Installation: Solidwood decking install recommended.

Warranties: Weather XL (26ga), Fluoropon (PVDF) (24ga)


Testing: ASTM E1680, ASTM E1646, ASTM E283, ASTM E331, ASTM E330/E330M, ASTM E1592

ROOF & WALL PANEL

FLAT




STRIATIONS



PANEL PROFILE



SCREW PATTERN



EAVES & END LAPS

