

1.5" Snap Lock


1.5" Snap Lock Concealed Fastener Standing Seam Metal Panel: A cost-effective, durable solution for roofs and walls. Perfect for high-end residential and commercial applications, the 1.5" Snap Lock offers versatile 15" coverage in any required length, industry-leading finishes, and high production volumes to provide quality metal solutions at an accessible price.

Metal America® specializes in on-site roll forming and offers notching. This system excels in withstanding various weather conditions, making it ideal for all-weather applications.

1.5" Snap Lock

TRIM PROFILES



Ridge Cap Low Profile





Standing Seam Locking Ridge Cap




Standing Seam Base Metal 1.5




Standing Seam Box Gable 1.5




Standing Seam Locking Gable





Standing Seam W Valley



Standing Seam Locking Outside Corner



Standing Seam Locking Inside Corner




*Pitch must be specified when ordering.



1.5" Snap Lock

TRIM PROFILES


Standing Seam Outside Corner




Standing Seam Inside Corner





Standing Seam Soffit C Metal 1.5 Color in




Z Metal Wall Lite 1.5 Color In




Z Bar_1.5




SnapZ



Standing Seam Locking End Wall



Standing Seam End Wall





*Pitch must be specified when ordering.



1.5" Snap Lock

TRIM PROFILES



Standing Seam Side Wall




Standing Seam Locking Side Wall



Eave Flashing




Custom Eave




Standing Seam Raised Cleat



Standing Seam Offset Cleat




Bull Nose Eave



* 0:12 to 6:12

Style D




* 0:12 to 6:12

*Pitch must be specified when ordering.

1.5" Snap Lock


Standing Seam Pitch Break




** MUST INDICATE BOTH PITCHES




Standing Seam Reverse Pitch Break



** MUST INDICATE BOTH PITCHES




Standing Seam Locking Pitch Break




** MUST INDICATE BOTH PITCHES




Standing Seam Locking Reverse Pitch Break




** MUST INDICATE BOTH PITCHES




Style G Drip / Special Style G



X = 1 3/8" STD
2 1/4" SPECIAL



Chimney Flashing



*Pitch must be specified when ordering.

