


# 1.75" Snap Lock

The 1.75" Snap Lock Panel is a medium-gauge roofing and wall panel designed for light commercial, industrial, and agricultural applications. Ideal for large areas requiring long runs, this panel accommodates thermal expansion and provides versatile 14" coverage. We offer on-site roll forming and notching for ease in extended installations, and the fixed clip system ensures a straightforward installation process. With industry-leading finishes and robust weather resistance, this system is built for all climates.


# 1.75" Snap Lock

TRIM PROFILES


Ridge Cap Low Profile




Standing Seam Locking Ridge Cap




Standing Seam Locking Gable





Standing Seam Box Gable\_1.75





Standing Seam Locking Outside Corner





Standing Seam Locking Inside Corner



Standing Seam Base Metal 1.75



Standing Seam Locking Peak Cap



\*Pitch must be specified when ordering.

# 1.75" Snap Lock

TRIM PROFILES

**Standing Seam Soffit C Metal 1.75**

**Standing Seam Soffit C Metal 1.75 Color In**

**Z Metal Wall Lite 1.75**

**Z Metal Wall Lite 1.75 Color In**

**Chimney Flashing**

**Standing Seam W Valley**

**Style G Drip / Special Style G**

X = 1 3/8" STD  
2 1/4" SPECIAL

**Drip Flashing**



X = 2" or 3"

\*Pitch must be specified when ordering.


# 1.75" Snap Lock

TRIM PROFILES



**Eave Flashing**





**Custom Eave**




**Standing Seam Side Wall**




**Standing Seam Locking Side Wall**




**Style D**




**Bull Nose Eave**




**Standing Seam End Wall**



**Standing Seam Locking End Wall**



**Open Jamb**




\*Pitch must be specified when ordering.

# 1.75" Snap Lock

## TRIM PROFILES


### Standing Seam Pitch Break




\*\* MUST INDICATE BOTH PITCHES




### Standing Seam Reverse Pitch Break



\*\* MUST INDICATE BOTH PITCHES




### Standing Seam Locking Pitch Break



\*\* MUST INDICATE BOTH PITCHES




### Fascia Trim





### Standing Seam Raised Cleat





### Standing Seam Offset Cleat



### SnapZ



### Z Bar 1.75



\*Pitch must be specified when ordering.

