


1.5" Snap Lock

1.5" Snap Lock Concealed Fastener Standing Seam Metal Panel: A cost-effective, durable solution for roofs and walls. Perfect for high-end residential and commercial applications, the 1.5" Snap Lock offers versatile 15" coverage in any required length, industry-leading finishes, and high production volumes to provide quality metal solutions at an accessible price.

Metal America® specializes in on-site roll forming and offers notching. This system excels in withstanding various weather conditions, making it ideal for all-weather applications.

1.5" Snap Lock

2 - MINOR RIBS



MATERIAL SPECIFICATIONS

Available Widths: 15"

Available Gauges: 26ga, (Inquire for 22ga & 24ga)

Weight: 1.00lbs/SqFt (24ga), 0.75lbs/SqFt(26ga)

Substrate: Grade 50

Minimum Slope: 2:12

OPTIONS

Production Options*: Either factory made to length, crated up to 50' panels to ensure damage free transport, or rolled to length on site. Notching available on panels 6' in length or greater.

Panel Options: Flat Panel, Striations, 2 - Minor Ribs (Flat Panel requires an oil canning waiver).

*Set up fee may apply.

On site production is subject to order minimums

COLOR OPTIONS

Available Materials: Painted

Paint Systems: Weather XL (26ga), Fluropon (PVDF) (24ga)

TRIM SPECIFICATIONS


Installation: Solidwood decking install recommended.

Warranties: Weather XL (26ga), Fluropon (PVDF) (24ga)


Testing: ASTM E1680, ASTM E1646, ASTM E283, ASTM E331, ASTM E330/E330M, ASTM E1592

ROOF & WALL PANEL


FLAT




STRIATIONS




PANEL PROFILE



SCREW PATTERN




EAVES & END LAPS




1.5" Snap Lock

TRIM PROFILES



Ridge Cap Low Profile





Standing Seam Locking Ridge Cap




Standing Seam Base Metal 1.5




Standing Seam Box Gable 1.5




Standing Seam Locking Gable





Standing Seam W Valley



Standing Seam Locking Outside Corner



Standing Seam Locking Inside Corner




*Pitch must be specified when ordering.



1.5" Snap Lock

TRIM PROFILES


Standing Seam Outside Corner




Standing Seam Inside Corner




Standing Seam Soffit C Metal 1.5 Color in





Z Metal Wall Lite 1.5 Color In




Z Bar_1.5




SnapZ



Standing Seam Locking End Wall



Standing Seam End Wall





*Pitch must be specified when ordering.


1.5" Snap Lock

TRIM PROFILES



Standing Seam Side Wall




Standing Seam Locking Side Wall



Eave Flashing




Custom Eave




Standing Seam Raised Cleat



Standing Seam Offset Cleat




Bull Nose Eave




* 0:12 to 6:12



Style D




* 0:12 to 6:12





*Pitch must be specified when ordering.

1.5" Snap Lock


Standing Seam Pitch Break





Standing Seam Reverse Pitch Break





Standing Seam Locking Pitch Break




Standing Seam Locking Reverse Pitch Break





Style G Drip / Special Style G



Chimney Flashing



Standing Seam Locking Peak Cap



*Pitch must be specified when ordering.

